

STREETOS SLIM

SLI027021NW_PW

Street luminaire with dusk sensor STREETOS SLIM, with a power of 50 W, high light efficacy 120 lm/W. It is made of high-quality components, supported by a 5-year warranty. It has a very high degree of protection IP65, providing protection against the ingress of dust and water jets. IK08 class provides impact resistance. It shines with light of neutral - the most universal colour (4000K).




Power	50 W	Voltage	230 V
Luminous flux*	6000 lm (360°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	140/85 °
IK	08	Degree of protection (IP)	IP65

Technical data

Code	SLI027021NW_PW
Power	50 W
Nominal current	220 mA
Voltage	230 V
Energy consumption	50 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power factor	0.9
Useful luminous flux*	6000 lm (360°)
Luminous flux**	5000 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	140/85 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	Aluminum, PC
IK	08
Degree of protection (IP)	IP65
Colour	Black
Dimension (AxBxC)	505x109x76 mm
Mounting hole	60 mm
For use	Outside
Assembly method	On a pole
Application	EXT
Made in	PRC
Other	185-265V ,

Logistics data

Bulk packaging	10 pcs.
Quantity per pallet	180 pcs.
Gross weight (1 pcs.)	0.9 kg



Related documents

 User manual Declaration of Conformity

