

SHIFT NANO GRID S

WLD+80014

SYSTEM SHIFT NANO - GRID S LINEAR TRACKLIGHT 196X12X30MM 10W 24DEG BLACK 5Y WARRANTY



Power	12 W
Colour temperature	3000 K
Beam angle	24 °
Degree of protection (IP)	IP20

Voltage	48 V
Colour of light	WW
UGR	<19

Technical data

Code	WLD+80014
Power	12 W
Nominal current	220 mA
Voltage	48 V
Energy consumption	12 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	1180 lm (360°)
Luminous flux**	500 lm (360°)
Lamp efficacy	98 lm/W
Luminous intensity	1600 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	24 °
UGR	<19
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	Aluminum
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	196x12x30 mm
For use	Inside
Assembly method	on track 48V
Application	Inside
Made in	PRC

Logistics data

Bulk packaging	50 pcs.
Gross weight (1 pcs.)	0.1075 kg

Related documents

 User manual Declaration of Conformity

