

SHIFT NANO LINE M

WLD+80016

SYSTEM SHIFT NANO - LINE M LINEAR TRACKLIGHT 600X12X30MM 20W 100DEG BLACK 5Y WARRANTY



Power **20 W**
Colour temperature **3000 K**
Beam angle **100 °**

Voltage **48 V**
Colour of light **WW**
Degree of protection (IP) **IP20**

Technical data

Code	WLD+80016
Power	20 W
Nominal current	430 mA
Voltage	48 V
Energy consumption	20 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	2085 lm (360°)
Luminous flux**	650 lm (360°)
Lamp efficacy	104 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	100 °
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	Aluminum
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	600x12x30 mm
For use	Inside
Assembly method	on track 48V
Application	Inside
Made in	PRC

Logistics data

Bulk packaging	50 pcs.
Gross weight (1 pcs.)	0.2569 kg

Related documents



 Declaration of Conformity

